



MOTORHOME AWNINGS

2020



News
from Outwell®



Designed in Scandinavia





MOTORHOME AWNINGS

2020

Superior Air Touring



Outwell® SUPERIOR AIR TOURING

Today's modern motorhome deserves an easy to use drive-away awning that complements its chic looks and features. And our Superior Air Touring drive-away awnings exceed the expectations of any discerning motorhome owner. Designed with double beading (5mm and 7mm) to fit all motorhome awning rails, the use of our superb Outtex® 6000 Pro fabric delivers weather-beating protection enhanced by our quick-erect Power Air System with pre-angled tubes that add stability and useable space. Our Link Access Zone with side door options enables a close full-length, fuss-free connection with vehicles, cutting out draughts and complementing our Sewn-in Ground System. Large tinted windows with zip-up curtains, plus a curtain and large mesh screen for the front wall provide the ideal atmosphere, with flexible lighting and hanging options added thanks to our new HookTrack System.

Cruising



Outwell® CRUISING

Campervan and motorhome owners will find our Cruising drive-away awnings combine chic good looks with benefits provided by our premium DuratecFlex sturdy fibreglass poles. These reduce packed size and weight while maintaining strength, to add easy pitching and flexible storage, packing and transportation options. These characteristics are complemented by our superb Outtex® 3000 Select fabric that provides excellent all-weather performance. Our practical vehicle access zone with draught skirt and double beading (5mm and 7mm) to suit all vehicle rails, ensure a neat, secure connection and easy access to vehicles no matter the weather. A full front door with full mesh screen behind, plus tinted windows with toggle-up curtains, provide the ideal atmosphere for relaxed living, enhanced by our new HookTrack System that allows you to tailor suspension point for lighting and smaller items inside.



Air Cruising

Outwell® AIR CRUISING

New clean-cut designs ensure 2020 Air Cruising inflatable drive-away awnings continue to meet the needs of those who primarily own campervans and panel van conversions. Excellent weather-beating performance is provided by our unique Outtex® 4000 Select fabric with our Rigid Air System of pre-formed round air tubes making erection simple and quick. A large vehicle access zone with draught skirt has double beading (5mm and 7mm) for vehicle rails to ensure a neat, secure connection and clean easy access to vehicles, cutting out draughts and complementing the Outwell Sewn-in Ground System. A full front door with two zip pulls and full mesh screen, plus tinted windows with toggle-up curtains, ensure comfy accommodation, enhanced by our new HookTrack System to allow lighting and other items to be hung securely inside.



Nordic Shore Motor

Outwell® NORDIC SHORE MOTOR

To fully enjoy a long stay on a campsite in a larger motorhome demands a fixed awning that provides more comfortable and secure accommodation suitable for extended use. And our Nordic Shore Collection offers generous 2,5-metre depth with connection heights up to 285cm. Each model combines our superb embossed Outtex® HD fabric with the convenience of our Advanced Air System for easy inflation. Our unique anti-scratch Foamed Pole Sealing System enables a snug fit whilst the Roof Tube Adjustment Socket and Height Adjustment System solve the problem of levelling an inflatable awning, with reflective web guylines enhancing stability. Large tinted windows with 360° curtains, full mesh panel behind each side door and the option to remove the front wall provide the ideal ambience for relaxation.



AWNING INNOVATIONS 2020 *by Outwell®*


Functionality

HookTrack System

Hanging lines


As HookTrack piping runs the full length of the awning frame, it allows for clips to be used to attach horizontal lines to hang light items.

5mm and 7mm beading ensures our awnings fit all standard rails




Dual beading

Wind out canopies.
Thule, Fiamma etc.




Aftermarket rail.
Reimo etc.



California rail

5+7mm



HOOKTRACK SYSTEM

Our awnings benefit from our Outwell HookTrack System – a smart yet simple concept designed to deliver safety and convenience that is reliable in function and easy to use. Using ten moveable hooks, it enables safe and secure routing of electric wires to avoid accidental damage and trip hazards. Plus, it allows lights to be positioned where needed and for lighter items to be aired on the adjustable lines provided by the optional Outwell Tent Hanging System.

DUAL BEADING

An Outwell drive-away awning is supplied with dual beading for use with all common factory fitted and aftermarket rails.

The 5mm is suitable for rails fitted to wind-out canopies such as those supplied by Thule and Fiamma while the 7mm is perfect for aftermarket rails like Reimo.

When used together they will attach an awning to a California rail.

FLYSHEET Materials




We tailor Outwell fabrics to meet specific needs of the targeted caravan and motorhome market. The technology behind each fabric works in synergy with the awning's design to provide the best possible performance and ensure the perfect holiday experience.

When it comes to designing a caravan or motorhome awning we consider every aspect so that we might meet and exceed expectations. This includes the materials used and we work closely with material manufacturers to create unique quality fabrics that enhance performance


to ensure you enjoy outdoor living in comfort, safety and style. Each fabric has been tailored to address the needs dictated by a specific collection and undergo a long selection process to prove their worth, so an Outwell can be relied on in confidence no matter the unit.

All our fabrics are based on 100 per cent polyester fibres that are treated and woven to maximise resistance to UV-light and the rigours of outdoor life. These are then PU-coated to provide an elevated level of waterproofness. Thread and construction techniques, including seam sealing, match material quality to maintain performance levels.




OUTTEX® 3000 SELECT

Outtex® 3000 Select is a hard-wearing PU-coated quality polyester that addresses key expectations for fabrics ideal for general caravan and motorhome life.




OUTTEX® 4000

Outtex® 4000 is a hard-wearing quality polyester that addresses key expectations for fabrics ideal for regular general camping and has a PU-coating that provides a 4,000mm hydrostatic head.



OUTTEX® 6000 PRO

Outtex® 6000 Pro is a super strong and durable quality polyester created for our more luxurious tent collections. Perfect for year-round camping, Outtex® 6000 Pro has a PU-coating that provides a 6,000mm hydrostatic head.



OUTTEX® HD

A special process is used to create our ultra-rugged high density (HD) weave to obtain a 100 per cent polyester fabric that offers the superior performance, long-life good looks and canvas feel worthy of Nordic Shore caravan and motorhome awnings.

Luxury accommodation



Superior Air Towing



Outtex® 6000 PRO



Fire Retardant



Taped Seams



Aerodynamic Storm Protection 9



Link Access Zone System



Outwell Power Air System



Dual Beading



Outwell Easy Access System with mesh



Outwell Sewn-in Ground System



Outwell Hook Track System



PARKVILLE 200SA

- Depth of 290cm – Outtex® 6000 Pro, Hydrostatic head: 6,000 mm
- 180cm-205cm attachment height
- 7mm/5mm double bead
- Front wall can be opened completely by a 4-slider zip for extra flexibility by opening the doors/front panel fully to create a veranda-style aspect with insect mesh screen
- Full open rear for easy access to vehicle
- Power Air System frame tubes inflate in one to improve erection time
- HookTrack System for versatile positioning of lights and items up to 1.5kg




GOT A LARGER VEHICLE?

Find our tall drive-aways on page 20



Model	Footprint size	Weight	Pack size	RRP
Parkville 200SA	320 x 200 cm	18.3 kg	82 x 40 x 38 cm	£999.99

Optional Extras: Flat Woven Carpet / Footprint. See page 19 for more information.




Zip-up Curtain



Tinted Windows



Storm Guyline





Dry Zip



Outwell Easy Pegging System

PARKVILLE 260SA

- Depth of 350cm – Outtex® 6000 Pro,
- Hydrostatic head: 6,000 mm
- 180cm-205cm attachment height
- 7mm/5mm double bead
- Front wall can be opened completely by a 4-slider zip for extra flexibility by opening the doors/front panel fully to create a veranda-style aspect with insect mesh screen
- Full open rear for easy access to vehicle
- Power Air System frame tubes inflate in one to improve erection time
- HookTrack System for versatile positioning of lights and items up to 1.5kg





Model	Footprint size	Weight	Pack size	RRP
Parkville 260SA	320 x 260 cm	22.2 kg	89 x 42 x 42 cm	£1,249.99

Optional Extras: Flat Woven Carpet / Footprint / Inner Parkville. See page 19 for more information.

JONESVILLE 290SA

- Depth of 310cm – Outtex® 6000 Pro, Hydrostatic head: 6,000 mm
- 180cm-205cm attachment height
- 7mm/5mm double bead
- Movable front door with mesh, four sliders and curtains
- Removeable access zone
- Power Air System frame tubes inflate in one to improve erection time
- Fully seam-sealed flysheet for maximum protection from the elements
- Pre-attached luminous guylines for convenience and fast pitching
- HookTrack System for versatile positioning of lights and items up to 1.5kg





Model	Footprint size	Weight	Pack size	RRP
Jonesville 290SA	310 x 290/390 cm	24.9 kg	85 x 40 x 40 cm	£1,374.99

Optional Extras: Flat Woven Carpet / Footprint / Inner. See page 19 for more information.

JONESVILLE 440SA

- Depth of 310cm – Outtex® 6000 Pro, Hydrostatic head: 6,000 mm
- 180cm-205cm attachment height
- 7mm/5mm double bead
- Movable front door with mesh, four sliders and curtains
- Removeable access zone
- Power Air System frame tubes inflate in one to improve erection time
- Fully seam-sealed flysheet for maximum protection from the elements
- Pre-attached luminous guylines for convenience and fast pitching
- HookTrack System for versatile positioning of lights and items up to 1.5kg



Model	Footprint size	Weight	Pack size	RRP
Jonesville 440SA	310 x 440/540 cm	29.6 kg	82 x 45 x 45 cm	£1,624.99

Optional Extras: Flat Woven Carpet / Footprint / Inner. See page 19 for more information.

REMOVEABLE LINK ACCESS ZONE



Flexible access is via twin doors in both sides of the Link Access Zone and a side door on the awning



REMOVEABLE FRONT DOOR



Porch, enclosed living or open to the outdoors? Your choice thanks to flexible removable front door panel!



Carefree life on the road



Air Cruising



Outtex® 4000 Select



Fire Retardant



Taped Seams




Aerodynamic Storm Protection 8



Link Access Zone System



Outwell Rigid Air System



Dual Beading





Outwell Sewn-in Ground System



Outwell Hook Track System


MILESTONE DASH AIR

- Depth of 320cm – Outtex® 4000 Select, Hydrostatic head: 4,000 mm
- 180cm-205cm attachment height
- 7mm/5mm double bead
- Large opening front with full insect mesh door behind
- Large rear opening for easy use of the Link Access Zone
- Spacious living area with large tinted windows for a light-filled interior with toggle-up curtains for privacy
- Fully seam-sealed flysheet for maximum protection from the elements
- HookTrack System for versatile positioning of lights and items up to 1.5kg



Model	Footprint size	Weight	Pack size	RRP
Milestone Dash Air	260 x 260 cm	14.7 kg	88 x 39 x 39 cm	£749.99


Optional Extras: Flat Woven Carpet / Footprint / Inner. See page 19 for more information.

Toggle-up
Curtains

Tinted Windows



Storm Guylines





Dry Zip

Outwell Easy
Pegging System

MILESTONE SHADE AIR

- Depth of 320cm – Outtex® 4000 Select, Hydrostatic head: 4,000 mm
- 180cm-205cm attachment height
- 7mm/5mm double bead
- Front wall can be opened completely by a 4-slider zip for extra flexibility by opening the doors/front panel fully to create a veranda-style aspect with insect mesh screen
- Full open rear for easy access to vehicle
- Large front canopy provides shelter from rain and sun glare
- HookTrack System for versatile positioning of lights and items up to 1.5kg





Model	Footprint size	Weight	Pack size	RRP
Milestone Shade Air	260 x 260 cm	16.3 kg	81 x 42 x 42 cm	£835.99

Optional Extras: Flat Woven / Footprint / Inner. See page 19 for more information.

BLOSSBURG 380 AIR

- Depth of 300cm – Outtex® 4000 Select, Hydrostatic head: 4,000 mm
- 180cm-205cm attachment height
- 7mm/5mm double bead
- Vertical front wall with canopy for enhanced interior and exterior living space
- Pre-shaped air tubes provide great headroom and interior space
- Rain-safe front canopy protects access against water
- Double zips allow full front opening, backed by full mesh panel for insect-free ventilation options
- HookTrack System for versatile positioning of lights and items up to 1.5kg





Model	Footprint size	Weight	Pack size	RRP
Blossburg 380 Air	300 x 380 cm	20.0 kg	87 x 38 x 38 cm	£999.99

Optional Extras: Flat Woven Carpet / Footprint / Inner. See page 19 for more information.



NEWBURG 160 AIR

- Depth of 250cm – Outtex® 4000 Select, Hydrostatic head: 4,000 mm
- 180cm-205cm attachment height
- 7mm/5mm double bead
- Vertical front wall with canopy for enhanced interior and exterior living space
- Pre-shaped air tubes provide great headroom and interior space
- Rain-safe front canopy protects access against water
- Double zips allow full front opening, backed by full mesh panel for insect-free ventilation options
- HookTrack System for versatile positioning of lights and items up to 1.5kg





Model	Footprint size	Weight	Pack size	RRP
Newburg 160 Air	260 x 160 cm	15.5 kg	90 x 35 x 35 cm	£709.99

Optional Extras: Flat Woven Carpet / Footprint. See page 19 for more information.

NEWBURG 260 AIR

- Depth of 350cm – Outtex® 4000 Select, Hydrostatic head: 4,000 mm
- 180cm-205cm attachment height
- 7mm/5mm double bead
- Vertical front wall with canopy for enhanced interior and exterior living space
- Pre-shaped air tubes provide great headroom and interior space
- Rain-safe front canopy protects access against water
- Double zips allow full front opening, backed by full mesh panel for insect-free ventilation options
- HookTrack System for versatile positioning of lights and items up to 1.5kg



GOT A LARGER VEHICLE?

Find our tall drive-aways on page 20

Model	Footprint size	Weight	Pack size	RRP
Newburg 260 Air	300 x 260 cm	19.1 kg	89 x 40 x 40 cm	£909.99

Optional Extras: Flat Woven Carpet / Footprint / Inner. See page 19 for more information.

For a simple outdoor life

Cruising



Outtex® 3000 Select



Fire Retardant



Taped Seams




OWS System Force 8




Link Access Zone System



Duratec Fibreglass



Dual Beading





Outwell Sewn-in Ground System



Outwell Hook Track System

MILESTONE DASH

- Depth of 320cm – Outtex® 3000 Select, Hydrostatic head: 3,000 mm
- 180cm-205cm attachment height
- 7mm/5mm double bead
- Large front door with additional insect mesh screen
- Large rear opening for easy use of the Link Access Zone
- Spacious living area with large tinted windows for a light-filled interior with toggle-up curtains for privacy
- Fully seam-sealed flysheet for maximum protection from the elements
- HookTrack System for versatile positioning of lights and items up to 1.5kg



Model	Footprint size	Weight	Pack size	RRP
Milestone Dash	260 x 260 cm	14.5 kg	80 x 30 x 30 cm	£429.99

Optional Extras: Flat Woven Carpet / Footprint / Inner. See page 19 for more information.



Toggle-up
Curtains



Tinted Windows



Storm Guylines



Dry Zip



Outwell Easy
Pegging System



HookTrack System



Duratec
Fiberglass Poles



Tinted Windows



Wind Stabilizer
System





Sewn-in Ground System



Dual Beading

MILESTONE SHADE

- Depth of 320cm – Outtex® 3000 Select, Hydrostatic head: 3,000 mm
- 180cm-205cm attachment height
- 7mm/5mm double bead
- Front wall can be opened completely by a 4-slider zip for extra flexibility by opening the doors/front panel fully to create a veranda-style aspect with insect mesh screen
- Full open rear for easy access to vehicle
- Generous door canopies for access and Rain Safe shelter
- HookTrack System for versatile positioning of lights and items up to 1.5kg





Model	Footprint size	Weight	Pack size	RRP
Milestone Shade	260 x 260 cm	15.5 kg	80 x 30 x 30 cm	£529.99

Optional Extras: Flat Woven Carpet / Footprint / Inner. See page 19 for more information.

BLOSSBURG 380

- Depth of 300cm – Outtex® 3000 Select, Hydrostatic head: 3,000 mm
- 180cm-205cm attachment height
- 7mm/5mm double bead
- Vertical front wall with canopy for enhanced interior and exterior living space
- Double zips allow full front opening, backed by full mesh panel for insect-free ventilation options
- Large front canopy provides shelter from rain and sun glare
- Large tinted windows reduce glare and ensure privacy
- HookTrack System for versatile positioning of lights and items up to 1.5kg





Model	Footprint size	Weight	Pack size	RRP
Blossburg 380	300 x 380 cm	18.5 kg	84 x 41 x 30 cm	£685.99

Optional Extras: Flat Woven Carpet / Footprint / Inner. See page 19 for more information.

NEWBURG 160

- Depth of 250cm – Outtex® 3000 Select, Hydrostatic head: 3,000 mm
- 180cm-205cm attachment height
- 7mm/5mm double bead
- Vertical front wall with canopy for enhanced interior and exterior living space
- Double zips allow full front opening, backed by full mesh panel for insect-free ventilation options
- Large front canopy provides shelter from rain and sun glare
- Large tinted windows reduce glare and ensure privacy
- HookTrack System for versatile positioning of lights and items up to 1.5kg



Model	Footprint size	Weight	Pack size	RRP
Newburg 160	260 x 160 cm	13.8 kg	70 x 38 x 25 cm	£489.99

Optional Extras: Flat Woven Carpet / Footprint. See page 19 for more information.

NEWBURG 260

- Depth of 350cm – Outtex® 3000 Select, Hydrostatic head: 3,000 mm
- 180cm-205cm attachment height
- 7mm/5mm double bead
- Vertical front wall with canopy for enhanced interior and exterior living space
- Double zips allow full front opening, backed by full mesh panel for insect-free ventilation options
- Large front canopy provides shelter from rain and sun glare
- Large tinted windows reduce glare and ensure privacy
- HookTrack System for versatile positioning of lights and items up to 1.5kg



Model	Footprint size	Weight	Pack size	RRP
Newburg 260	300 x 260 cm	19.1 kg	65 x 40 x 30 cm	£599.99

Optional Extras: Flat Woven Carpet / Footprint / Inner. See page 19 for more information.

TOURING SHELTER


- Universal canopy for motorhomes, vans and caravans with an attachment height of 180cm-240 cm
- Creates a nice shady space on the side of the vehicle
- Sturdy steel poles maximise headroom
- Fully seam-sealed flysheet for maximum protection from the elements
- Pre-attached luminous guylines for convenience and fast pitching
- Adjustable pegging points for pitching flexibility
- HookTrack System for versatile positioning of lights and items up to 1.5kg



Model	Footprint size	Weight	Pack size	RRP
Touring Shelter	320 x 260 cm	6.4 kg	71 x 22 x 15 cm	£274.99

TOURING CANOPY


- Universal canopy for motorhomes, vans and caravans with an attachment height of 180cm-330 cm
- Creates a nice shady space on the side of the vehicle
- Sturdy steel poles maximise headroom
- Fully seam-sealed flysheet for maximum protection from the elements



Model	Footprint size	Weight	Pack size	RRP
Touring Canopy	320 x 230 cm	4.9 kg	71 x 16 x 11 cm	£237.99

WINDSCREEN AIR

- Easy to pitch
- Power Air System frame tubes inflate in one to improve erection time
- Reliable, easy-to-operate inflate/deflate valve
- Can be attached to Outwell caravan awnings




Outtex® Peak

Model	Weight	Pack size	RRP
Windscreen Air	8.3 kg	80 x 31 x 31 cm	£435.99

WINDSCREEN PREMIUM

- 4 lightweight sections
- Embossed fabric
- Sneak peek windows
- Extra durable pole sleeves
- Luminous guylines




Outtex®

Model	Weight	Pack size	RRP
Windscreen Premium	4.3 kg	61 x 13 cm	£74.99

WINDSCREEN

- 3 lightweight sections
- Embossed fabric
- Sneak peek windows
- Extra durable pole sleeves
- Luminous guylines
- Ground spikes



Charcoal Grey

Vineyard Green



Outtex®


Model	Weight	Pack size	RRP
Windscreen	3.1 kg	52 x 12 cm	£61.99

OPTIONAL EXTRA



FOOT PRINTS

Outwell awning footprint options protect the carpet from rough ground and mud for convenient maintenance.



INNER TENT

Optional 2 person inner tent available for all models except Newburg 160 and Parkville 200SA (Blossburg 380 and Jonesville 440SA for 4 persons).



FLAT WOVEN CARPETS

These distinctive, popular Outwell tent carpets in a soft yet durable Lylex fabric are custom-made to fit each tent's living area and are available as an optional extra.

AWNING UTILITIES

A choice of three adaptor kits allows you to quickly and easily connect or disconnect your vehicle from a drive-away awning for day trips away from site even if you do not have an awning rail.

ADAPTOR KITS FOR CONVENIENT VEHICLE CONNECTION TO A DRIVE-AWAY AWNING:



DUAL BEADING CONNECT SET 7-7+5 MM



MAGNET-BAND CONNECTOR



TOURING CONNECTOR SET

HOW TO CONNECT A DRIVE-AWAY AWNING



CONNECT WITH HOOK AND LOOP BAND

Hook and loop tabs allow an awning to be quickly and simply attached to convenient points on the vehicle, like roof bars.



CONNECT WITH GUYLINE

Awnings can be connected using guylines thrown over the vehicle roof and attached to convenient points or pegged out.



CONNECT TO RAIL

The beaded edge of an awning can be simply inserted and fed through an existing C-rail if intending to leave the vehicle with the awning during the stay.



CONNECT WITH MAGNETIC BAND CONNECTOR

A magnetised strip in the Magnetic Band Connector attaches to the unit and creates a channel in which to slide the awning or Outwell Touring Connect Set.



Tall and Xtra Tall

An ideal companion for your camper van or motorhome

A free-standing Outwell drive away awning quickly provides safe, comfortable and secure living space that allows freedom to enjoy daily trips out while it protects your pitch – just disconnect from your vehicle and close the rear door and drive away.

Size TALL:

For vehicles of heights between 240cm-270cm

Size XTRA TALL:

For vehicles of heights between 270cm-300cm

PARKVILLE 200SA TALL

- Depth of 290cm – Outtex® 6000 Pro, Hydrostatic head: 6,000 mm
- 240cm-270cm attachment height
- 7mm/5mm double bead
- Front wall can be opened completely by a 4-slider zip for extra flexibility by opening the doors/front panel fully to create a veranda-style aspect with insect mesh screen
- Full open rear for easy access to vehicle
- Power Air System frame tubes inflate in one to improve erection time
- HookTrack System for versatile positioning of lights and items up to 1.5kg



Model	Footprint size	Weight	Pack size	RRP
Parkville 200SA Tall	320 x 200 cm	18.5 kg	82 x 40 x 38 cm	£1,049.99

Optional Extras: Flat Woven Carpet / Footprint. See page 19 for more information.

AVAILABLE IN TWO DIFFERENT HEIGHTS



PARKVILLE 200SA XTRA TALL

- Depth of 290cm – Outtex® 6000 Pro, Hydrostatic head: 6,000 mm
- 270cm-300cm attachment height
- 7mm/5mm double bead
- Front wall can be opened completely by a 4-slider zip for extra flexibility by opening the doors/front panel fully to create a veranda-style aspect with insect mesh screen
- Full open rear for easy access to vehicle
- Power Air System frame tubes inflate in one to improve erection time
- HookTrack System for versatile positioning of lights and items up to 1.5kg



Model	Footprint size	Weight	Pack size	RRP
Parkville 200SA Xtra Tall	320 x 200 cm	18.7 kg	82 x 40 x 38 cm	£1,079.99

Optional Extras: Flat Woven Carpet / Footprint. See page 19 for more information.

NEWBURG 260 AIR TALL

- Depth of 350cm – Outtex® 4000 Select, Hydrostatic head: 4,000 mm
- 240cm-270cm attachment height
- 7mm/5mm double bead
- Vertical front wall with canopy for enhanced interior and exterior living space
- Pre-shaped air tubes provide great headroom and interior space
- Rain-safe front canopy protects access against water
- Double zips allow full front opening, backed by full mesh panel for insect-free ventilation options
- HookTrack System for versatile positioning of lights and items up to 1.5kg



Model	Footprint size	Weight	Pack size	RRP
Newburg 260 Air Tall	300 x 260 cm	19.7 kg	83 x 43 x 43 cm	£959.99

Optional Extras: Flat Woven Carpet / Footprint / Inner. See page 19 for more information.

NEWBURG 260 AIR XTRA TALL

- Depth of 350cm – Outtex® 4000 Select, Hydrostatic head: 4,000 mm
- 270cm-300cm attachment height
- 7mm/5mm double bead
- Vertical front wall with canopy for enhanced interior and exterior living space
- Pre-shaped air tubes provide great headroom and interior space
- Rain-safe front canopy protects access against water
- Double zips allow full front opening, backed by full mesh panel for insect-free ventilation options
- Large tinted windows reduce glare and ensure privacy
- HookTrack System for versatile positioning of lights and items up to 1.5kg



Model	Footprint size	Weight	Pack size	RRP
Newburg 260 Air Xtra Tall	300 x 260 cm	19.9 kg	83 x 43 x 43 cm	£999.99

Optional Extras: Flat Woven Carpet / Footprint / Inner. See page 19 for more information.

NEWBURG 260 TALL

- Depth of 350cm – Outtex® 3000 Select, Hydrostatic head: 3,000 mm
- 240cm-270cm attachment height
- 7mm/5mm double bead
- Vertical front wall with canopy for enhanced interior and exterior living space
- Double zips allow full front opening, backed by full mesh panel for insect-free ventilation options
- Large front canopy provides shelter from rain and sun glare
- Large tinted windows reduce glare and ensure privacy
- HookTrack System for versatile positioning of lights and items up to 1.5kg



Model	Footprint size	Weight	Pack size	RRP
Newburg 260 Tall	300 x 260 cm	19.3 kg	65 x 40 x 30 cm	£624.99

Optional Extras: Flat Woven Carpet / Footprint / Inner. See page 19 for more information.

NEWBURG 260 XTRA TALL

- Depth of 350cm – Outtex® 3000 Select, Hydrostatic head: 3,000 mm
- 270cm-300cm attachment height
- 7mm/5mm double bead
- Vertical front wall with canopy for enhanced interior and exterior living space
- Double zips allow full front opening, backed by full mesh panel for insect-free ventilation options
- Large front canopy provides shelter from rain and sun glare
- Large tinted windows reduce glare and ensure privacy
- HookTrack System for versatile positioning of lights and items up to 1.5kg



Model	Footprint size	Weight	Pack size	RRP
Newburg 260 Xtra Tall	300 x 260 cm	19.5 kg	65 x 40 x 30 cm	£649.99

Optional Extras: Flat Woven Carpet / Footprint / Inner. See page 19 for more information.

Travelling together through life

Nordic Shore Motor



Outtex® HD



Taped Seams



Outwell Advanced Air System



One-Go Inflation



Tinted Windows



Removable Front and Sides



Reflective Webbing



Height Adjustment System




Carrybag




Air pump included

RIPPLE MOTOR 380SA M / L


- Depth of 250cm – Outtex® HD, Hydrostatic Head: 6,000mm
- Integrated Advanced Air System frame for best performance
- Foam batten adapts to and seals the gap between awning and unit
- Height Adjustment System assists level the awning
- Pre-angled air tubes deliver excellent standing height and floor space
- HookTrack System for versatile positioning of lights and items up to 1.5kg




RIPPLE MOTOR 380SA M



Pocket for EVA discs



RIPPLE MOTOR 380SA L



Pocket for EVA discs

Model	Footprint size	Weight	Pack size	RRP
Ripple Motor 380SA M	360 x 250 cm	30.7 kg	100 x 48 x 48 cm	£1,329.99
Ripple Motor 380SA L	360 x 250 cm	31.2 kg	100 x 50 x 50 cm	£1,379.99

Optional Extras: Continental Carpet / Footprint / Roof Lining. See page 19 for more information.




ATTACHMENT HEIGHTS:
M: 245cm-265cm
L: 265cm-285cm




RIPPLE MOTOR 440SA M / L

- Depth of 250cm – Outtex® HD, Hydrostatic Head: 6,000mm
- Integrated Advanced Air System frame for best performance
- Foam batten adapts to and seals the gap between awning and unit
- Height Adjustment System assists level the awning
- Pre-angled air tubes deliver excellent standing height and floor space
- HookTrack System for versatile positioning of lights and items up to 1.5kg



RIPPLE MOTOR 440SA M



RIPPLE MOTOR 440SA L

Model	Footprint size	Weight	Pack size	RRP
Ripple Motor 440SA M	440 x 250 cm	33.8 kg	105 x 48 x 48 cm	£1,489.99
Ripple Motor 440SA L	440 x 250 cm	35.3 kg	105 x 50 x 50 cm	£1,519.99

Optional Extras: Continental Carpet / Footprint / Roof Lining. See page 19 for more information.

Relax and enjoy

Ergo Supreme

Kick back and enjoy the views from the luxurious comfort of an Ergo Supreme chair or lounge. This top-of-the-range furniture brings full padding and support in smart designs with chic colours that complement the modern caravan and awning. The Fernley, Trenton and Marana chairs feature an integrated head rest, seven position adjustment and can have the Henderson footrest attached for ultimate relaxation. And our Evansville lounge and Gresham sunbed are perfect for summer days topping up the tan.

ERGO SUPREME RANGE



FERNLEY



MARANA



Model	Size (WxDxH)	Seat Height	Max load	Weight	Pack size	RRP
Fernley	64 x 76 x 108 cm	46 cm	150 kg	4.8 kg	64 x 11 x 88 cm	£92.99
Marana	64 x 76 x 118 cm	46 cm	150 kg	5 kg	64 x 14 x 102 cm	£99.99

ERGO SUPREME RANGE



TRENTON



HENDERSON



GRESHAM



EVANSVILLE



Model	Size (WxDxH)	Seat Height	Max load	Weight	Pack size	RRP
Trenton	74 x 75 x 116 cm	46 cm	200 kg	5.1 kg	74 x 11 x 100 cm	£104.99
Henderson	48 x 78 x 45 cm	–	30 kg	1.2 kg	48 x 89 x 10 cm	£30.99
Gresham	69 x 85 x 118 cm	54 cm	150 kg	8 kg	69 x 21 x 98 cm	£155.99
Evansville	70 x 200 x 49 cm	49 cm	120 kg	6.5 kg	70 x 81 x 22 cm	£155.99

Enjoy the sun

Ergo Core



Celebrate the holidays from the comfort of an Ergo Core chair, lounge or sunbed. The relaxed, fresh designs bring sunny days to your pitch no matter the weather and the fact that they are light and easy to pack away make them ideal for picnics or transportation where low weight and storage are a priority. New for 2020, the Sandsend, Sauntons and Blackpool chairs are joined by the adjustable Tenby sunbed, Ramsgate adjustable lounge with removable pillow and Cromer high back, five position chair with built-in-pillow.

ERGO CORE RANGE



CROMER



BLACKPOOL

Model	Size (WxDxH)	Seat Height	Max load	Weight	Pack size	RRP
Cromer	61 x 73 x 119 cm	44 cm	120 kg	5.4 kg	61 x 10 x 114.5 cm	£44.99
Blackpool	55 x 56 x 86 cm	40 cm	120 kg	3.3 kg	55 x 5 x 78.5 cm	£36.99

ERGO CORE RANGE



RAMSGATE



SANDSEND

SAUNTONS



TENBY



Model	Size (WxDxH)	Seat Height	Max load	Weight	Pack size	RRP
Ramsgate	65 x 79 x 81/110 cm	47 cm	120 kg	7.4 kg	65 x 10 x 91 cm	£62.99
Sandsend	82 x 65 x 86 cm	40 cm	120 kg	3.4 kg	12 x 12 x 103 cm	£44.99
Sauntons	48 x 53 x 57 cm	33 cm	120 kg	2.3 kg	48 x 77 x 4 cm	£20.99
Tenby	54/59 x 187.5 x 30 cm	30 cm	120 kg	4.8 kg	59 x 77 x 14 cm	£49.99

COMFORT RANGE

With five superb chairs offering a wide range of options, the Outwell® Comfort Range of folding furniture designs delivers outstanding comfort.

Each style has a durable, smart diamond pattern fabric over sturdy steel frames; all chairs feature armrests and cupholders. Their neat packed size makes transport easy whilst their dual functionality as chairs for relaxing and dining extends versatility. New for 2020, the small packed size Draycote model features a high back and supportive armrests.



DRAYCOTE



CUP HOLDER

A handy cup holder means no reaching down or across for your drink. The cup holder can be folded away under the seat when not in use.

LOMOND



ULLSWATER

KIELDER



DERWENT



Model	Size (WxDxH)	Max load	Weight	Pack size	RRP
Derwent	59 x 64 x 96 cm	125 kg	4.5 kg	18 x 18 x 95 cm	£55,99
Draycote	58 x 75 x 103 cm	120 kg	6 kg	58 x 10 x 65 cm	£61,99
Kielder	87 x 54 x 100 cm	125 kg	4.8 kg	17 x 18 x 97 cm	£66,99
Lomond	60 x 80 x 109 cm	125 kg	6.2 kg	30 x 20 x 93 cm	£94,99
Ullswater	61 x 79 x 107 cm	125 kg	5.9 kg	20 x 17 x 110 cm	£86,99

BAMBOO TABLE RANGE

The durable Outwell® Bamboo Table Range offers smart-looking, eco-friendly camping tables in space-saving, versatile designs.

Lightweight, foldable and easy to set up, the designs combine the benefits of bamboo for the tops with sturdy aluminium frames to ensure stability. With a variety of size options and some models with adjustable legs, the range aids practical campsite living. The low Kimberley design is perfect for drinks and snacks.

CODY M



CODY L



CUSTER L



CUSTER XL



CALGARY S



CALGARY M



CALGARY L



KIMBERLEY



Model	Size (WxDxH)	Max load	Weight	Pack size	RRP
Cody M	50 x 65 x 44/53/65 cm	30 kg	4.4 kg	14 x 65 x 11 cm	£124.99
Cody L	65 x 100 x 44/53/65 cm	30 kg	7.3 kg	17 x 100 x 11 cm	£143.99
Custer L	70 x 120 x 49/58/70 cm	80 kg	10 kg	70 x 62 x 10 cm	£157.99
Custer XL	70 x 150 x 49/58/70 cm	80 kg	10.8 kg	70 x 77 x 10 cm	£179.99
Calgary S	55 x 75 x 70 cm	30 kg	3.9 kg	55 x 75 x 4 cm	£69.99
Calgary M	90 x 90 x 70 cm	30 kg	7.4 kg	90 x 45 x 7 cm	£124.99
Calgary L	90 x 120 x 70 cm	30 kg	8.4 kg	90 x 60 x 7 cm	£145.99
Kimberley	65 x 65 x 40 cm	30 kg	3.7 kg	45 x 65 x 8 cm	£86.99

Explore the outdoors!



outwell.com

